



表3. 年齢階級別罹患率（人口10万対）：部位別、性別

B. 上皮内がんを含む

沖縄県

2014年

性別	部位	ICD-10	総数	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
男	全部位	C00-C96 D00-D09	4,491	22.1	2.4	9.5	17.3	35.3	37.0	38.5	66.5	162.3	197.9	422.5	840.8	1,163.6	1,564.5	2,426.4	2,688.6	3,788.5	4,296.8	0.0		
	食道	G15 D001	163	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	6.7	15.6	36.2	46.9	64.1	106.0	84.1	134.1	104.4	0.0		
	大腸（結腸・直腸）*1	C18-C20 D010-D012	1,076	0.0	0.0	0.0	0.0	0.0	4.9	9.1	14.1	66.8	68.9	161.0	289.5	324.6	483.6	547.4	528.9	536.2	678.4	0.0		
	結腸*1	C18 D010	675	0.0	0.0	0.0	0.0	0.0	2.5	2.3	4.0	36.3	33.3	78.2	153.3	189.7	308.8	388.5	384.7	373.0	495.8	0.0		
	直腸*1	C19-C20 D011-D012	401	0.0	0.0	0.0	0.0	0.0	2.5	6.8	10.1	30.6	35.6	82.7	136.2	134.9	174.8	158.9	144.2	163.2	182.7	0.0		
	肺	C33-C34 D021-D022	618	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	8.9	22.4	70.2	115.4	186.5	321.4	420.7	722.7	1,061.1	0.0		
	皮膚	C43-C44 D030-D049	164	0.0	0.0	0.0	0.0	2.7	2.5	2.3	2.0	3.8	8.9	8.9	8.9	14.9	25.4	37.9	70.6	124.2	209.8	260.9	0.0	
	乳房	C50 D05	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	5.8	0.0	0.0	
	膀胱	C67 D090	143	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.0	0.0	2.2	13.4	31.9	41.1	43.7	74.2	60.1	198.2	113.1	0.0	0.0	
	全部位	C00-C96 D00-D09	4,179	9.9	2.6	15.0	13.0	48.8	119.9	256.1	342.5	441.0	551.0	775.3	966.5	1,051.0	1,258.9	1,502.3	1,753.0	1,970.3	0.0	0.0	0.0	
	女	全部位	C00-C96 D00-D09	4,179	9.9	2.6	15.0	13.0	48.8	119.9	256.1	342.5	441.0	551.0	775.3	966.5	1,051.0	1,258.9	1,502.3	1,753.0	1,970.3	0.0	0.0	0.0
		食道	G15 D001	14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.3	0.0	2.0	5.9	9.6	3.2	16.0	3.3	0.0	0.0
		大腸（結腸・直腸）*1	C18-C20 D010-D012	622	0.0	0.0	0.0	0.0	8.1	0.0	10.9	14.1	23.0	48.5	52.2	142.5	168.5	140.9	230.0	296.0	316.2	360.0	0.0	0.0
		結腸*1	C18 D010	474	0.0	0.0	0.0	0.0	8.1	0.0	10.9	6.0	19.2	28.6	38.6	99.3	127.9	108.6	162.9	228.4	252.1	301.1	0.0	0.0
		直腸*1	C19-C20 D011-D012	148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	3.8	19.8	13.6	43.2	40.6	32.3	67.1	67.6	64.0	58.9	0.0	0.0
		肺	C33-C34 D021-D022	302	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.8	6.6	18.2	34.6	52.8	70.5	111.8	154.4	272.2	229.1	0.0	0.0
		皮膚	C43-C44 D030-D049	199	0.0	0.0	0.0	0.0	2.7	0.0	0.0	2.0	2.0	0.0	4.4	6.8	15.1	28.4	17.6	35.1	93.3	116.1	314.2	0.0
乳房		C50 D05	1,047	0.0	0.0	0.0	0.0	2.7	16.8	39.4	92.7	174.5	255.6	199.9	246.2	326.9	361.1	325.9	286.3	196.1	137.5	0.0	0.0	
子宮		C53-C55 D06	656	0.0	0.0	2.5	2.6	13.5	67.2	168.6	153.1	174.5	136.6	147.7	133.9	111.7	93.9	134.2	77.2	56.0	68.7	0.0	0.0	
子宮頸部		C53 D06	467	0.0	0.0	0.0	2.6	13.5	64.8	151.1	131.0	151.5	101.4	84.1	71.3	52.8	55.8	73.5	41.8	36.0	49.1	0.0	0.0	
膀胱		C67 D090	69	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	1.9	2.2	4.5	8.6	12.2	8.8	38.3	29.0	32.0	72.0	0.0	0.0	
全部位		C00-C96 D00-D09	8,671	16.0	2.5	12.2	15.2	42.0	79.0	149.2	204.5	301.4	375.2	476.6	808.3	1,066.9	1,308.7	1,813.4	2,030.6	2,581.7	2,608.7	0.0	0.0	
総数		全部位	C00-C96 D00-D09	8,671	16.0	2.5	12.2	15.2	42.0	79.0	149.2	204.5	301.4	375.2	476.6	808.3	1,066.9	1,308.7	1,813.4	2,030.6	2,581.7	2,608.7	0.0	0.0
		食道	G15 D001	177	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	3.8	3.3	9.0	18.2	24.9	35.1	55.4	39.3	64.1	30.9	0.0	0.0
		大腸（結腸・直腸）*1	C18-C20 D010-D012	1,698	0.0	0.0	0.0	0.0	4.1	2.4	10.0	14.1	45.0	58.7	107.0	216.5	248.1	312.9	380.8	399.7	405.8	447.1	0.0	0.0
		結腸*1	C18 D010	1,149	0.0	0.0	0.0	0.0	4.1	1.2	6.7	5.0	27.7	31.0	58.6	126.5	159.4	209.1	270.1	298.0	301.4	354.3	0.0	0.0
		直腸*1	C19-C20 D011-D012	549	0.0	0.0	0.0	0.0	0.0	1.2	3.3	9.1	17.2	27.7	48.5	90.0	88.7	103.8	110.7	101.7	104.4	92.7	0.0	0.0
	肺	C33-C34 D021-D022	921	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	5.7	7.7	20.3	52.5	84.7	128.7	211.4	273.0	455.6	459.0	0.0	0.0	
	皮膚	C43-C44 D030-D049	363	0.0	0.0	0.0	0.0	2.7	1.2	1.1	2.0	1.9	6.6	7.9	15.0	26.9	27.8	52.0	107.1	154.2	299.6	0.0	0.0	
	乳房	C50 D05	1,050	0.0	0.0	0.0	0.0	1.4	8.5	20.0	47.3	87.1	128.4	99.2	122.2	160.4	179.9	172.8	158.8	118.6	99.9	0.0	0.0	
	膀胱	C67 D090	212	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.0	1.0	2.2	9.0	20.4	26.9	26.3	55.4	42.8	99.7	83.2	0.0	0.0	

\*1 粘膜がんを含む

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

沖縄県

2014年

部位	10D-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	7,392	15.5	28.0	0.0	1.0	55.5
口腔・咽頭	C00-C14	222	2.3	20.3	0.0	0.9	76.6
食道	C15	149	17.4	28.2	0.0	1.3	53.0
胃	C16	592	19.8	27.7	0.0	0.5	52.0
大腸 (結腸・直腸)	C18-C20	1,325	17.0	22.6	0.1	0.9	59.4
結腸	C18	874	16.6	23.2	0.1	0.8	59.3
直腸	C19-C20	451	17.7	21.5	0.0	1.1	59.6
肝および肝内胆管	C22	277	9.0	50.2	0.0	0.7	40.1
胆のう・胆管	C23-C24	178	2.2	33.1	0.0	1.7	62.9
膵臓	C25	226	6.2	28.3	0.0	1.3	64.2
喉頭	C32	39	5.1	10.3	0.0	0.0	84.6
肺	C33-C34	835	12.8	43.2	0.0	1.0	43.0
皮膚	C43-C44	304	0.3	18.4	0.0	1.0	80.3
乳房	C50	907	33.2	9.6	0.0	0.6	56.7
乳房 (女性のみ)	C50	906	33.2	9.5	0.0	0.6	56.7
子宮	C53-C55	367	17.7	17.2	0.0	0.5	64.6
子宮頸部	C53	186	22.0	12.9	0.0	0.5	64.5
子宮体部	C54	181	13.3	21.5	0.0	0.6	64.6
卵巣	C56	81	9.9	25.9	0.0	1.2	63.0
前立腺	C61	574	20.0	37.3	0.0	1.0	41.6
膀胱	C67	131	2.3	27.5	0.0	0.8	69.5
腎・尿路 (膀胱除く)	C64-C66 C68	248	14.9	45.6	0.0	0.0	39.5
脳・中枢神経系	C70-C72	62	0.0	16.1	0.0	4.8	79.0
甲状腺	C73	118	24.6	34.7	0.0	0.8	39.8
悪性リンパ腫	C81-C85 C96	221	9.5	34.8	0.0	2.7	52.9
多発性骨髄腫	C88-C90	72	2.8	38.9	1.4	1.4	55.6
白血病	C91-C95	211	8.1	40.8	0.0	2.8	48.3

\*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

沖縄県

2014年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	8,305	18.0	29.0	0.0	0.9	52.1
食道	C15 D001	173	17.3	32.4	0.0	1.2	49.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,650	20.2	26.9	0.1	0.7	52.1
結腸 *2	C18 D010	1,118	19.6	28.3	0.1	0.6	51.4
直腸 *2	C19-C20 D011-D012	532	21.6	24.1	0.0	0.9	53.4
肺	C33-C34 D021-D022	835	12.8	43.2	0.0	1.0	43.0
皮膚	C43-C44 D030-D049	361	0.3	20.2	0.0	0.8	78.7
乳房	C50 D05	1,032	35.7	10.5	0.0	0.5	53.4
乳房 (女性のみ)	C50 D05	1,029	35.8	10.4	0.0	0.5	53.4
子宮	C53-C55 D06	645	34.4	24.7	0.0	0.3	40.6
子宮頸部	C53 D06	464	42.7	25.9	0.0	0.2	31.3
膀胱	C67 D090	205	6.3	32.2	0.0	0.5	61.0

\*1 D00を除く総数

\*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

沖縄県

2014年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,179	46.7	9.3	14.0	20.0	10.0	23.3
口腔・咽頭	C00-C14	225	33.3	17.8	32.0	6.2	10.7	49.8
食道	C15	151	36.4	9.3	26.5	17.2	10.6	35.8
胃	C16	595	50.6	11.8	9.9	21.0	6.7	21.7
大腸 (結腸・直腸)	C18-C20	1,330	42.8	15.7	11.6	21.7	8.1	27.3
結腸	C18	875	43.3	14.3	12.6	22.2	7.5	26.9
直腸	C19-C20	455	41.8	18.5	9.7	20.9	9.2	28.1
肝および肝内胆管	C22	280	50.7	1.8	15.4	15.7	16.4	17.1
胆のう・胆管	C23-C24	178	16.3	2.2	44.4	25.8	11.2	46.6
膵臓	C25	227	8.8	2.2	31.3	49.3	8.4	33.5
喉頭	C32	42	59.5	16.7	7.1	2.4	14.3	23.8
肺	C33-C34	847	27.6	9.9	8.4	44.5	9.6	18.3
皮膚	C43-C44	304	91.4	0.3	2.6	1.0	4.6	3.0
乳房	C50	908	62.3	16.2	4.7	7.0	9.6	20.9
乳房 (女性のみ)	C50	907	62.4	16.2	4.6	7.1	9.6	20.8
子宮	C53-C55	369	54.2	5.1	23.3	10.8	6.5	28.5
子宮頸部	C53	187	42.2	6.4	28.9	15.0	7.5	35.3
子宮体部	C54	182	66.5	3.8	17.6	6.6	5.5	21.4
卵巣	C56	81	22.2	3.7	45.7	21.0	7.4	49.4
前立腺	C61	575	64.3	1.6	14.8	10.3	9.0	16.3
膀胱	C67	132	64.4	2.3	12.9	9.1	11.4	15.2
腎・尿路 (膀胱除く)	C64-C66 C68	250	60.8	2.4	14.0	14.0	8.8	16.4
脳・中枢神経系	C70-C72	63	61.9	0.0	12.7	1.6	23.8	12.7
甲状腺	C73	118	49.2	28.8	6.8	5.1	10.2	35.6
悪性リンパ腫	C81-C85 C96	218	22.0	0.5	23.4	43.1	11.0	23.9
多発性骨髄腫	C88-C90	4	75.0	0.0	0.0	0.0	25.0	0.0
白血病	C91-C95	29	20.7	0.0	6.9	58.6	13.8	6.9

\*1 D00、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

沖縄県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,092	11.2	41.4	8.3	12.5	17.7	8.9	20.7
食道	C15 D001	175	13.7	31.4	8.0	22.9	14.9	9.1	30.9
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,655	19.6	34.4	12.6	9.3	17.5	6.5	21.9
結腸 *3	C18 D010	1,119	21.8	33.9	11.2	9.8	17.3	5.9	21.0
直腸 *3	C19-C20 D011-D012	536	15.1	35.4	15.7	8.2	17.7	7.8	23.9
肺	C33-C34 D021-D022	847	0.0	27.6	9.9	8.4	44.5	9.6	18.3
皮膚	C43-C44 D030-D049	361	15.8	77.0	0.3	2.2	0.8	3.9	2.5
乳房	C50 D05	1,033	11.8	54.8	14.2	4.2	6.2	8.7	18.4
乳房 (女性のみ)	C50 D05	1,030	11.7	55.0	14.3	4.1	6.2	8.7	18.3
子宮	C53-C55 D06	647	42.8	30.9	2.9	13.3	6.2	3.9	16.2
子宮頸部	C53 D06	465	59.6	17.0	2.6	11.6	6.0	3.2	14.2
膀胱	C67 D090	206	35.9	41.3	1.5	8.3	5.8	7.3	9.7

\*1 D00、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-1. 進展度・総合(%) ; 部位別  
C. 発見経緯別

部位	ICD10	発見経緯*3	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	2014年	
										領域	*2
全部位*	C00-C96		1,475	23.7	53.6	9.9	5.5	4.7	2.6	15.4	
胃	C16	検診	6,617	8.4	38.7	7.9	14.0	20.6	10.3	21.9	
大腸(結腸・直腸)*	C18-C20 D010-D012	検診以外	117	0.0	79.5	10.3	3.4	6.8	0.0	13.7	
		検診	478	0.0	43.5	12.1	11.5	24.5	8.4	23.6	
		検診以外	334	32.6	44.3	12.6	3.3	5.1	2.1	15.9	
肺	C33-C34 D021-D022	検診以外	1,321	16.4	31.9	12.6	10.8	20.6	7.7	23.5	
		検診	107	0.0	48.6	22.4	8.4	17.8	2.8	30.8	
		検診以外	740	0.0	24.6	8.1	8.4	48.4	10.5	16.5	
乳房(女)*	C50 D05	検診	368	18.2	66.3	10.6	1.1	0.5	3.3	11.7	
		検診以外	662	8.0	48.6	16.3	5.7	9.4	11.9	22.1	
子宮体部	C54	検診	24	0.0	70.8	4.2	16.7	8.3	0.0	20.8	
		検診以外	158	0.0	65.8	3.8	17.7	6.3	6.3	21.5	
子宮頸部*	C53 D06	検診	198	79.3	16.7	1.5	1.5	0.5	0.5	3.0	
		検診以外	267	44.9	17.2	3.4	19.1	10.1	5.2	22.5	

\*上皮内がんを含む \*1 DCO、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 発見経緯  
検診 : がん検診、健康診断・人間ドック

検診以外 : 他疾患の経過観察中、剖検発見、その他・不明(症状受診を含む)

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

沖縄県

2014年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	7,180	45.2	9.0	13.7	19.6	12.6	22.7
口腔・咽頭	C00-C14	225	32.0	16.9	31.6	6.7	12.9	48.4
食道	C15	151	35.8	9.3	25.8	16.6	12.6	35.1
胃	C16	595	50.1	11.4	9.7	21.0	7.7	21.2
大腸 (結腸・直腸)	C18-C20	1,330	42.0	15.3	11.2	21.4	10.0	26.5
結腸	C18	875	42.9	14.2	12.1	21.7	9.1	26.3
直腸	C19-C20	455	40.4	17.6	9.5	20.9	11.6	27.0
肝および肝内胆管	C22	280	51.1	1.4	15.0	15.4	17.1	16.4
胆のう・胆管	C23-C24	178	16.9	2.2	42.7	26.4	11.8	44.9
膵臓	C25	227	8.8	2.2	30.8	49.3	8.8	33.0
喉頭	C32	42	59.5	16.7	7.1	2.4	14.3	23.8
肺	C33-C34	847	26.6	9.8	8.0	43.9	11.7	17.8
皮膚	C43-C44	304	88.2	1.3	2.6	1.0	6.9	3.9
乳房	C50	908	59.7	15.3	4.7	6.7	13.5	20.0
乳房 (女性のみ)	C50	907	59.8	15.3	4.6	6.7	13.6	20.0
子宮	C53-C55	369	52.0	4.9	23.6	10.8	8.7	28.5
子宮頸部	C53	187	39.6	5.9	28.9	15.0	10.7	34.8
子宮体部	C54	182	64.8	3.8	18.1	6.6	6.6	22.0
卵巣	C56	81	22.2	2.5	45.7	19.8	9.9	48.1
前立腺	C61	575	59.0	1.6	13.6	9.0	16.9	15.1
膀胱	C67	132	62.9	2.3	12.9	9.1	12.9	15.2
腎・尿路 (膀胱除く)	C64-C66 C68	250	59.2	2.4	13.2	13.2	12.0	15.6
脳・中枢神経系	C70-C72	63	60.3	0.0	12.7	1.6	25.4	12.7
甲状腺	C73	118	46.6	25.4	6.8	4.2	16.9	32.2
悪性リンパ腫	C81-C85 C96	218	21.1	0.5	22.5	41.7	14.2	22.9
多発性骨髄腫	C88-C90	5	60.0	0.0	0.0	0.0	40.0	0.0
白血病	C91-C95	29	20.7	0.0	6.9	58.6	13.8	6.9

\*1 D00、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤



表5-2. 進展度・治療前 (%) : 部位別

沖縄県 2014年

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	8,093	11.1	40.1	8.0	12.1	17.4	11.4	20.1
食道	C15 D001	175	13.7	30.9	8.0	22.3	14.3	10.9	30.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,655	19.6	33.8	12.3	9.0	17.2	8.1	21.3
結腸 *3	C18 D010	1,119	21.8	33.5	11.1	9.5	17.0	7.1	20.6
直腸 *3	C19-C20 D011-D012	536	14.9	34.3	14.9	8.0	17.7	10.1	22.9
肺	C33-C34 D021-D022	847	0.0	26.6	9.8	8.0	43.9	11.7	17.8
皮膚	C43-C44 D030-D049	361	15.8	74.2	1.1	2.2	0.8	5.8	3.3
乳房	C50 D05	1,033	11.7	52.5	13.5	4.2	5.9	12.3	17.6
乳房 (女性のみ)	C50 D05	1,030	11.6	52.6	13.5	4.1	5.9	12.3	17.6
子宮	C53-C55 D06	647	41.7	29.7	2.8	13.4	6.2	6.2	16.2
子宮頸部	C53 D06	465	58.1	15.9	2.4	11.6	6.0	6.0	14.0
膀胱	C67 D090	206	35.0	40.3	1.5	8.3	5.8	9.2	9.7

\*1 D00、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

沖縄県

2014年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	4,609	53.7	10.8	12.6	7.6	15.3	23.4
口腔・咽頭	C00-C14	133	46.6	13.5	19.5	0.0	20.3	33.1
食道	C15	86	43.0	10.5	29.1	4.7	12.8	39.5
胃	C16	436	60.6	13.8	11.9	8.0	5.7	25.7
大腸 (結腸・直腸)	C18-C20	1,133	45.2	16.9	12.0	16.3	9.6	28.9
結腸	C18	744	46.0	15.9	13.0	17.3	7.8	28.9
直腸	C19-C20	389	43.7	18.8	10.0	14.4	13.1	28.8
肝および肝内胆管	C22	104	48.1	1.0	14.4	2.9	33.7	15.4
胆のう・胆管	C23-C24	131	19.1	2.3	53.4	13.0	12.2	55.7
膵臓	C25	105	14.3	3.8	43.8	23.8	14.3	47.6
喉頭	C32	9	22.2	0.0	22.2	0.0	55.6	22.2
肺	C33-C34	302	54.3	11.3	5.0	4.0	25.5	16.2
皮膚	C43-C44	273	90.8	0.4	2.9	0.7	5.1	3.3
乳房	C50	798	64.0	15.0	3.8	2.5	14.7	18.8
乳房 (女性のみ)	C50	798	64.0	15.0	3.8	2.5	14.7	18.8
子宮	C53-C55	238	65.5	5.5	14.3	2.9	11.8	19.7
子宮頸部	C53	79	62.0	8.9	6.3	1.3	21.5	15.2
子宮体部	C54	159	67.3	3.8	18.2	3.8	6.9	22.0
卵巣	C56	56	28.6	3.6	42.9	12.5	12.5	46.4
前立腺	C61	180	36.1	0.6	15.0	0.6	47.8	15.6
膀胱	C67	106	67.9	1.9	12.3	3.8	14.2	14.2
腎・尿路 (膀胱除く)	C64-C66 C68	195	69.2	1.5	13.8	4.6	10.8	15.4
脳・中枢神経系	C70-C72	46	58.7	0.0	6.5	2.2	32.6	6.5
甲状腺	C73	106	46.2	28.3	5.7	2.8	17.0	34.0
悪性リンパ腫	C81-C85 C96	32	25.0	0.0	18.8	9.4	46.9	18.8
多発性骨髄腫	C88-C90	0	0.0	0.0	0.0	0.0	0.0	0.0
白血病	C91-C95	1	0.0	0.0	0.0	0.0	100.0	0.0

\*1 D00、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

沖縄県

2014年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	5,436	14.9	45.6	9.1	10.7	6.4	13.2	19.9
食道	C15 D001	107	19.6	34.6	8.4	23.4	3.7	10.3	31.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,451	21.8	35.3	13.2	9.4	12.7	7.6	22.5
結腸 *3	C18 D010	984	24.4	34.8	12.0	9.9	13.1	5.9	21.8
直腸 *3	C19-C20 D011-D012	467	16.5	36.4	15.6	8.4	12.0	11.1	24.0
肺	C33-C34 D021-D022	302	0.0	54.3	11.3	5.0	4.0	25.5	16.2
皮膚	C43-C44 D030-D049	321	15.0	77.3	0.3	2.5	0.6	4.4	2.8
乳房	C50 D05	918	12.6	55.7	13.1	3.3	2.2	13.2	16.3
乳房 (女性のみ)	C50 D05	916	12.4	55.8	13.1	3.3	2.2	13.2	16.4
子宮	C53-C55 D06	464	47.0	33.6	2.8	7.3	1.5	7.8	10.1
子宮頸部	C53 D06	305	71.5	16.1	2.3	1.6	0.3	8.2	3.9
膀胱	C67 D090	179	39.7	40.2	1.1	7.3	2.2	9.5	8.4

\*1 D00、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 受療割合 (%) : 部位別

A. 上皮内がんを除く

沖縄県

2014年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	7,437	36.5	11.4	7.1	8.3	29.0	12.1	3.8	29.1
口腔・咽頭	C00-C14	225	45.8	0.4	1.8	32.0	32.9	0.0	0.4	30.7
食道	C15	151	25.8	2.6	22.5	22.5	37.1	0.7	4.0	26.5
胃	C16	595	33.4	14.6	24.4	1.5	24.4	0.2	3.7	24.7
大腸 (結腸・直腸)	C18-C20	1,330	39.8	30.5	10.5	1.3	32.2	0.1	2.0	20.5
結腸	C18	875	41.5	30.7	10.2	0.2	30.6	0.0	2.2	20.8
直腸	C19-C20	455	36.7	30.1	11.0	3.3	35.2	0.2	1.8	20.0
肝および肝内胆管	C22	280	21.1	2.9	2.1	1.8	25.0	0.0	29.6	47.9
胆のう・胆管	C23-C24	178	40.4	9.6	27.0	0.0	21.3	0.0	8.4	32.6
膵臓	C25	227	25.1	2.2	16.7	9.3	48.5	0.4	13.2	33.0
喉頭	C32	42	9.5	0.0	0.0	57.1	28.6	0.0	0.0	35.7
肺	C33-C34	847	7.4	20.4	0.1	13.1	35.3	0.0	2.6	49.6
皮膚	C43-C44	304	86.8	0.0	0.3	1.3	2.3	0.3	0.3	12.5
乳房	C50	908	73.9	0.2	1.7	6.7	27.8	57.0	1.8	18.0
乳房 (女性のみ)	C50	907	74.0	0.2	1.7	6.7	27.8	57.0	1.8	18.0
子宮	C53-C55	369	55.0	1.9	0.8	25.2	33.6	1.6	1.1	17.9
子宮頸部	C53	187	32.1	1.1	1.1	48.1	40.1	0.0	1.6	19.3
子宮体部	C54	182	78.6	2.7	0.5	1.6	26.9	3.3	0.5	13.7
卵巣	C56	81	60.5	0.0	0.0	0.0	54.3	0.0	1.2	29.6
前立腺	C61	575	6.3	9.4	0.9	10.4	1.4	60.2	0.7	29.7
膀胱	C67	132	16.7	0.8	58.3	3.8	45.5	1.5	18.9	27.3
腎・尿路 (膀胱除く)	C64-C66 C68	250	42.4	27.6	0.0	5.6	15.2	0.4	2.8	26.8
脳・中枢神経系	C70-C72	63	55.6	0.0	0.0	39.7	42.9	0.0	3.2	54.0
甲状腺	C73	118	73.7	0.0	0.8	5.1	1.7	15.3	0.0	26.3
悪性リンパ腫	C81-C85 C96	221	6.3	2.3	0.9	5.9	59.3	0.5	3.2	34.4
多発性骨髄腫	C88-C90	73	2.7	0.0	0.0	11.0	52.1	0.0	0.0	42.5
白血病	C91-C95	214	0.0	0.0	0.0	1.4	60.3	2.3	2.3	41.1

\*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 受療割合 (%) : 部位別

沖縄県 2014年

B. 上皮内がんを含む

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	8,350	37.3	10.6	10.9	7.6	26.3	11.4	3.9	26.8
食道	C15 D001	175	23.4	2.3	30.9	20.0	32.0	0.6	3.4	24.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,655	32.7	26.3	25.3	1.0	25.9	0.1	1.7	17.0
結腸 *2	C18 D010	1,119	33.0	26.0	27.0	0.2	23.9	0.0	1.7	16.6
直腸 *2	C19-C20 D011-D012	536	32.1	26.9	21.6	2.8	29.9	0.2	1.7	17.7
肺	C33-C34 D021-D022	847	7.4	20.4	0.1	13.1	35.3	0.0	2.6	49.6
皮膚	C43-C44 D030-D049	361	86.4	0.0	0.3	1.1	1.9	0.3	1.7	11.9
乳房	C50 D05	1,033	75.8	0.2	1.8	6.9	24.7	55.2	1.6	16.6
乳房 (女性のみ)	C50 D05	1,030	75.8	0.2	1.8	6.9	24.8	55.1	1.7	16.6
子宮	C53-C55 D06	647	64.0	1.1	1.5	14.4	19.3	0.9	3.6	16.5
子宮頸部	C53 D06	465	58.3	0.4	1.9	19.4	16.3	0.0	4.7	16.6
膀胱	C67 D090	206	10.7	1.0	71.4	2.4	45.1	1.0	18.0	18.9

\*1 D00を除く総数

\*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 観血的治療の範囲 (%) : 部位別

沖縄県 2014年

A. 上皮内がんを除く

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96	3,971	82.8	17.0	0.1
口腔・咽頭	C00-C14	107	77.6	22.4	0.0
食道	C15	76	73.7	26.3	0.0
胃	C16	415	87.5	12.5	0.0
大腸 (結腸・直腸)	C18-C20	1,033	84.2	15.8	0.0
結腸	C18	690	83.9	16.1	0.0
直腸	C19-C20	343	84.8	15.2	0.0
肝および肝内胆管	C22	71	80.3	19.7	0.0
胆のう・胆管	C23-C24	120	60.0	39.2	0.8
膵臓	C25	92	50.0	50.0	0.0
喉頭	C32	4	75.0	25.0	0.0
肺	C33-C34	227	87.2	12.8	0.0
皮膚	C43-C44	264	90.5	9.1	0.4
乳房	C50	685	95.0	4.8	0.1
乳房 (女性のみ)	C50	685	95.0	4.8	0.1
子宮	C53-C55	212	73.6	26.4	0.0
子宮頸部	C53	64	59.4	40.6	0.0
子宮体部	C54	148	79.7	20.3	0.0
卵巣	C56	49	69.4	30.6	0.0
前立腺	C61	95	76.8	22.1	1.1
膀胱	C67	92	69.6	30.4	0.0
腎・尿路 (膀胱除く)	C64-C66 C68	175	82.3	17.7	0.0
脳・中枢神経系	C70-C72	35	48.6	51.4	0.0
甲状腺	C73	88	92.0	8.0	0.0
悪性リンパ腫	C81-C85 C96	19	26.3	73.7	0.0
多発性骨髄腫	C88-C90	2	0.0	100.0	0.0
白血病	C91-C95	0	0.0	0.0	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが1:あり

表7. 観血的治療の範囲 (%) : 部位別

沖縄県 2014年

B. 上皮内がんを含む

部位	ICD-10	外科・鏡視下 ・内視鏡治療数 *1	原発巣切除	姑息的な観血的治療	不明
全部位	C00-C96 D00-D09	4,782	84.9	15.0	0.1
食道	C15 D001	97	77.3	21.6	1.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,350	87.3	12.7	0.0
結腸 *2	C18 D010	930	87.4	12.6	0.0
直腸 *2	C19-C20 D011-D012	420	87.1	12.9	0.0
肺	C33-C34 D021-D022	227	87.2	12.8	0.0
皮膚	C43-C44 D030-D049	312	91.3	8.3	0.3
乳房	C50 D05	801	95.4	4.5	0.1
乳房 (女性のみ)	C50 D05	799	95.4	4.5	0.1
子宮	C53-C55 D06	430	83.5	16.5	0.0
子宮頸部	C53 D06	282	85.5	14.5	0.0
膀胱	C67 D090	163	77.3	22.7	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが 1 : あり

\*2 粘膜がんを含む

表8. 精度指標 : 部位別、性別

A. 上皮内がんを除く

沖縄県

2014年

部位	死亡/罹患比 (M比)		死亡情報で初めて把握された症例 DON (%)		死亡情報のみの症例 DOO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)					
	男	女	男	女	男	女	男	女	男	女				
	総数		総数		総数		総数		総数					
ICD-10														
全部位	0.42	0.33	0.38	5.3	5.0	3.8	4.5	4.1	86.6	87.9	87.2	81.7	83.0	82.3
C00-C96														
口腔・咽頭	0.36	0.26	0.33	1.6	3.0	3.5	1.6	3.0	91.2	98.4	93.1	90.0	95.2	91.4
C00-C14														
食道	0.55	0.83	0.57	8.3	1.3	0.7	8.3	1.3	95.7	91.7	95.4	94.3	91.7	94.1
C15														
胃	0.41	0.31	0.37	7.0	5.6	4.4	5.1	4.6	94.1	93.5	93.9	93.9	93.5	93.8
C16														
大腸 (結腸・直腸)	0.31	0.36	0.33	4.9	3.5	2.4	4.3	3.1	94.2	89.7	92.6	94.1	89.3	92.4
C18-C20														
結腸	0.30	0.34	0.32	5.1	3.9	2.5	4.3	3.3	93.8	89.0	91.7	93.6	88.5	91.4
C18														
直腸	0.31	0.42	0.34	4.3	2.8	2.3	4.3	2.8	94.9	92.2	94.2	94.9	92.2	94.2
C19-C20														
肝および肝内胆管	0.61	0.67	0.63	16.3	8.6	4.3	15.2	7.6	38.4	28.3	35.3	36.0	25.0	32.7
C22														
胆のう・胆管	0.63	0.68	0.65	14.8	10.8	5.7	11.4	8.2	74.5	58.0	67.0	64.2	46.6	56.2
C23-C24														
膵臓	0.79	0.78	0.79	8.7	6.3	3.3	6.1	4.6	66.7	53.9	60.5	57.7	44.3	51.3
C25														
喉頭	0.33	0.00	0.32	4.8	4.5	4.8	0.0	4.5	81.0	100.0	81.8	81.0	100.0	81.8
C32														
肺	0.76	0.61	0.71	10.2	10.1	7.8	8.6	8.0	78.8	76.5	78.0	58.3	58.9	58.4
C33-C34														
皮膚	0.06	0.06	0.06	0.7	0.7	0.7	0.6	0.7	100.0	98.2	99.0	100.0	98.2	99.0
C43-C44														
乳房	0.00	0.13	0.13	2.1	2.1	0.0	1.8	1.8	100.0	97.3	97.3	100.0	95.8	95.8
C50														
子宮	-	0.23	0.23	-	2.4	-	2.4	2.4	-	97.1	97.1	-	-	95.5
C53-C55														
子宮頸部	-	0.25	0.25	-	1.1	-	1.1	1.1	-	98.4	98.4	-	-	95.8
C53														
子宮体部	-	0.17	0.17	-	1.1	-	1.1	1.1	-	98.4	98.4	-	-	97.8
C54														
卵巣	-	0.51	0.51	-	5.9	-	4.7	4.7	-	85.9	85.9	-	-	82.4
C56														
前立腺	0.16	-	0.16	4.2	4.2	4.2	-	4.2	89.8	-	89.8	89.8	-	89.8
C61														
膀胱	0.35	0.50	0.40	13.0	4.3	0.0	13.0	4.3	95.7	76.1	89.1	93.5	73.9	87.0
C67														
腎・尿路 (膀胱除く)	0.32	0.26	0.30	5.8	5.3	4.7	4.4	4.6	89.5	82.4	87.0	87.7	78.0	84.4
C64-C66 C68														
脳・中枢神経系	0.46	0.38	0.42	17.1	17.6	11.4	17.9	14.9	80.0	64.1	71.6	80.0	64.1	71.6
C70-C72														
甲状腺	0.15	0.07	0.08	5.0	2.5	5.0	2.0	2.5	95.0	97.0	96.7	75.0	90.1	87.6
C73														
悪性リンパ腫	0.34	0.41	0.38	3.4	4.4	1.7	1.8	1.8	94.0	88.1	91.1	90.5	85.3	88.0
C81-C85 C96														
多発性骨髄腫	0.48	0.56	0.51	2.5	2.7	0.0	2.9	1.4	90.0	91.2	90.5	82.5	82.4	82.4
C88-C90														
白血病	0.59	0.69	0.64	3.1	6.7	0.8	8.4	4.0	98.4	98.9	98.7	77.3	50.5	65.9
C91-C95														



表8. 精度指標 : 部位別、性別

沖縄県 2014年

B. 上皮内がんを含む

部位	死亡/罹患比 (MI比)		死亡情報で初めて把握された症例 DON (%)		死亡情報のみの症例 DOO (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)	
	男	女	男	女	男	女	男	女	男	女
ICD-10										
全部位	0.39	0.29	0.34	4.5	3.5	3.9	3.7	88.6	83.0	84.1
食道	0.47	0.71	0.49	1.1	0.6	7.1	1.1	96.3	95.1	94.9
大腸 (結腸・直腸) *1	0.25	0.29	0.26	2.8	2.0	3.5	2.5	95.4	95.3	93.8
結腸 *1	0.23	0.28	0.25	3.0	1.9	3.6	2.6	95.3	95.1	93.2
直腸 *1	0.27	0.32	0.29	2.4	2.0	3.4	2.4	95.5	95.5	95.1
肺	0.76	0.61	0.71	10.1	7.8	8.6	8.0	78.8	58.3	58.4
皮膚	0.05	0.05	0.05	0.6	0.6	0.5	0.6	100.0	100.0	99.2
乳房	0.00	0.11	0.11	1.8	0.0	1.6	1.6	100.0	100.0	96.1
子宮	-	0.13	0.13	1.4	-	1.4	1.4	-	-	97.4
子宮頸部	-	0.10	0.10	0.4	-	0.4	0.4	-	-	98.3
膀胱	0.22	0.33	0.26	2.8	0.0	8.7	2.8	97.2	95.8	91.5

\*1 粘膜がんを含む

表9. 死亡数、死亡割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)及び累積死亡率(人口100対) : 部位別、性別 沖縄県 2014年

部位	ICD-10	死亡数		死亡割合		粗死亡率		年齢調整死亡率		世界人口		累積死亡率(0-74歳)							
		男	女	男	女	男	女	男	女	男	女	男	女						
		総数	男	女	総数	男	女	総数	男	女	総数	男	女						
全部位		1,762	1,203	2,965	100.0	100.0	100.0	256.4	167.7	211.1	154.2	84.3	114.5	106.1	60.1	80.1	11.3	6.1	8.6
口腔・咽頭	C00-C14	61	16	77	3.5	1.3	2.6	8.9	2.2	5.5	5.3	1.2	3.0	3.6	0.9	2.1	0.4	0.1	0.3
食道	C15	77	10	87	4.4	0.8	2.9	11.2	1.4	6.2	7.3	1.0	3.9	5.2	0.7	2.8	0.7	0.1	0.4
胃	C16	167	66	233	9.5	5.5	7.9	24.3	9.2	16.6	14.9	3.6	8.8	10.4	2.4	6.1	1.1	0.2	0.7
大腸(結腸・直腸)	C18-C20	266	181	447	15.1	15.0	15.1	38.7	25.2	31.8	25.2	12.7	18.6	17.9	9.2	13.3	2.3	1.0	1.6
結腸	C18	156	133	289	8.9	11.1	9.7	22.7	18.5	20.6	14.1	8.6	11.1	9.7	6.1	7.8	1.3	0.6	0.9
直腸	C19-C20	110	48	158	6.2	4.0	5.3	16.0	6.7	11.2	11.2	4.1	7.4	8.2	3.0	5.5	1.0	0.4	0.7
肝および肝内胆管	C22	128	62	190	7.3	5.2	6.4	18.6	8.6	13.5	11.9	3.2	7.4	8.4	2.0	5.1	1.0	0.2	0.6
胆のう・胆管	C23-C24	67	60	127	3.8	5.0	4.3	9.7	8.4	9.0	5.5	3.1	4.2	3.5	2.0	2.7	0.3	0.2	0.3
膵臓	C25	97	90	187	5.5	7.5	6.3	14.1	12.5	13.3	9.4	5.1	7.3	6.9	3.5	5.2	0.8	0.3	0.6
喉頭	C32	14	0	14	0.8	0.0	0.5	2.0	0.0	1.0	1.1	0.0	0.4	0.8	0.0	0.3	0.1	0.0	0.0
肺	C33-C34	471	185	656	26.7	15.4	22.1	68.5	25.8	46.7	38.1	11.6	22.8	25.2	7.7	15.2	2.4	0.8	1.6
皮膚	C43-C44	8	10	18	0.5	0.8	0.6	1.2	1.4	1.3	0.7	0.4	0.5	0.5	0.3	0.4	0.0	0.0	0.0
乳房	C50	0	118	118	0.0	9.8	4.0	0.0	16.5	8.4	0.0	12.2	6.2	0.0	9.3	4.7	0.0	1.1	0.6
子宮	C53-C55	-	87	-	-	7.2	-	-	12.1	-	-	8.4	-	-	6.3	-	-	0.7	-
子宮頸部	C53	-	47	-	-	3.9	-	-	6.6	-	-	4.5	-	-	3.4	-	-	0.4	-
子宮体部	C54	-	31	-	-	2.6	-	-	4.3	-	-	3.2	-	-	2.3	-	-	0.3	-
卵巣	C56	-	43	-	-	3.6	-	-	6.0	-	-	3.7	-	-	2.7	-	-	0.3	-
前立腺	C61	97	-	-	5.5	-	-	14.1	-	-	7.1	-	-	4.4	-	-	0.3	-	-
膀胱	C67	32	23	55	1.8	1.9	1.9	4.7	3.2	3.9	2.6	1.4	1.9	1.6	0.9	1.2	0.1	0.1	0.1
腎・尿管(膀胱除く)	C64-C66 C68	54	24	78	3.1	2.0	2.6	7.9	3.3	5.6	5.1	1.5	3.2	3.6	1.0	2.2	0.4	0.1	0.2
脳・中枢神経系	C70-C72	16	15	31	0.9	1.2	1.0	2.3	2.1	2.2	1.9	1.3	1.6	1.4	1.1	1.2	0.1	0.1	0.1
甲状腺	C73	3	7	10	0.2	0.6	0.3	0.4	1.0	0.7	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	40	45	85	2.3	3.7	2.9	5.8	6.3	6.1	3.7	2.5	3.1	2.5	1.9	2.2	0.3	0.1	0.2
多発性骨髄腫	C88-C90	19	19	38	1.1	1.6	1.3	2.8	2.6	2.7	1.5	1.2	1.3	0.9	0.9	0.9	0.1	0.1	0.1
白血病	C91-C95	76	66	142	4.3	5.5	4.8	11.1	9.2	10.1	6.6	4.9	5.5	4.4	3.5	3.8	0.4	0.3	0.3

