


資料4 平成21年度(2009年度)取水井戸(原水)水温
(2009年4月～2010年3月)

日	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	日
1	21.4	22.2	23.3	27.9	29.4	28.6	28.3	25.7	23.6	21.7	21.4	21.9	1
2	20.9	22.8	23.5	28.2	28.8	28.7	28.3	25.3	23.4	21.9	20.7	21.9	2
3	21.0	23.0	23.6	28.0	29.4	28.7	28.4	24.5	23.3	21.8	20.9	21.8	3
4	21.2	22.8	23.9	28.1	29.5	28.5	27.8	24.4	22.9	21.4	20.4	21.9	4
5	21.5	22.8	24.1	27.9	29.2	28.4	27.9	24.6	23.3	21.2	20.4	22.2	5
6	21.4	22.8	24.2	28.0	28.2	27.9	27.9	24.9	23.2	21.2	20.3	22.2	6
7	21.4	22.7	24.4	28.3	27.4	28.2	27.5	25.1	23.3	20.6	20.2	22.0	7
8	21.4	22.7	24.4	28.4	27.9	28.4	26.7	25.2	23.3	21.2	20.5	22.3	8
9	21.1	22.7	24.8	28.2	28.4	28.4	26.8	25.3	23.4	21.4	21.2	22.0	9
10	21.4	22.8	24.9	28.4	28.6	28.4	26.5	25.4	23.4	21.4	21.3	20.4	10
旬平均	21.3	22.7	24.1	28.1	28.7	28.4	27.6	25.0	23.3	21.4	20.7	21.9	旬平均
11	21.6	23.1	25.4	28.2	28.9	28.8	26.4	25.3	23.6	21.5	21.4	20.4	11
12	21.3	23.2	25.0	28.2	29.2	29.0	26.8	25.3	23.6	21.2	21.9	20.6	12
13	21.6	23.5	25.7	28.0	29.3	28.8	26.9	25.3	23.6	20.4	21.1	21.2	13
14	22.1	23.1	25.1	28.3	29.4	29.3	26.9	25.0	23.6	20.6	20.8	21.3	14
15	22.1	23.3	25.6	28.4	29.3	29.4	26.9	24.7	23.6	20.6	21.0	21.3	15
16	22.1	23.3	25.6	28.4	29.6	29.3	26.6	24.4	23.4	21.2	21.2	21.4	16
17	22.2	24.3	26.0	28.4	29.6	28.9	26.9	24.7	22.9	21.0	20.3	21.0	17
18	22.1	24.3	25.9	28.5	29.4	28.7	26.3	23.8	22.5	20.7	20.3	21.3	18
19	21.7	24.3	26.0	28.8	29.3	28.4	26.4	24.2	22.2	21.1	19.5	21.8	19
20	22.3	24.3	26.0	29.0	28.9	28.4	26.2	24.4	22.3	21.1	20.0	21.9	20
旬平均	21.9	23.7	25.6	28.4	29.3	28.9	26.6	24.7	23.1	20.9	20.8	21.2	旬平均
21	22.9	24.4	26.3	29.1	28.7	28.3	25.6	24.1	21.5	21.8	20.4	22.0	21
22	22.8	25.0	26.5	29.1	28.4	28.3	26.0	24.2	21.6	21.2	20.6	21.8	22
23	22.4	24.8	26.9	28.2	28.5	28.2	26.3	24.0	22.3	20.5	20.6	22.2	23
24	22.4	24.8	27.3	29.2	28.3	28.3	26.2	24.4	22.4	20.4	20.9	22.4	24
25	22.5	24.0	27.2	29.1	28.4	28.1	25.9	24.4	22.6	20.5	21.2	22.6	25
26	22.7	23.5	27.2	29.0	28.5	28.1	25.5	24.4	22.5	19.7	21.4	21.5	26
27	21.0	23.4	26.6	29.1	28.2	28.2	25.9	24.4	22.3	20.9	21.6	21.1	27
28	21.8	23.2	26.9	29.0	28.3	28.1	25.4	24.4	21.6	20.9	22.2	21.6	28
29	21.7	23.2	27.0	29.3	28.4	28.2	25.4	24.0	21.9	20.9	20.9	21.3	29
30	22.0	23.1	26.9	29.4	28.6	28.2	25.4	23.8	22.4	21.2	21.4	21.4	30
31	22.3	23.3	26.9	29.6	28.6	28.6	25.5	21.2	21.2	21.2	21.7	21.7	31
旬平均	22.2	23.9	26.9	29.1	28.4	28.2	25.7	24.2	22.0	20.8	21.1	21.8	旬平均
月最高	22.9	25.0	27.3	29.6	29.6	29.4	28.4	25.7	23.6	21.9	22.2	22.6	月最高
月最低	20.9	22.2	23.3	27.9	27.4	27.9	25.4	23.8	21.2	19.7	19.5	20.4	月最低
月平均	21.8	23.4	25.5	28.6	28.8	28.5	26.6	24.7	22.8	21.0	20.8	21.6	月平均

資料5 平成21年度(2009年度)海面生糞(中間育成場)水温
(2009年4月～2010年3月)

日	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	日
1	21.0	22.2	23.7	28.5	29.6	29.2	28.6	25.8	23.7	20.2	21.5	21.8	1
2	20.7	23.2	24.7	28.7	29.7	29.0	28.7	25.2	23.8	21.7	20.7	22.0	2
3	20.9	23.1	23.9	28.5	29.7	28.9	28.7	24.2	22.9	21.5	20.9	21.7	3
4	21.7	22.9	24.3	28.4	30.2	28.7	28.2	24.7	21.7	21.7	20.4	21.9	4
5	21.7	23.1	24.2	28.4	29.5	28.6	28.4	24.7	23.5	21.5	19.0	22.4	5
6	21.9	23.1	24.5	28.4	28.7	28.6	28.2	24.9	23.2	20.7	19.8	22.5	6
7	20.7	23.0	24.9	28.7	27.7	28.3	27.7	25.2	23.2	20.7	20.0	22.5	7
8	21.5	23.1	24.8	29.0	28.2	28.7	26.5	25.5	23.2	20.7	19.5	22.1	8
9	21.7	22.9	25.6	28.7	28.7	28.7	26.9	25.6	23.5	20.2	21.2	21.9	9
10	21.7	23.0	25.3	28.8	28.8	28.9	26.9	25.6	23.7	21.4	21.6	19.9	10
旬平均	21.4	23.0	24.6	28.6	29.1	28.8	27.9	25.1	23.2	21.0	20.5	21.9	旬平均
11	21.9	23.4	25.9	28.9	29.2	29.3	26.9	25.4	23.5	21.6	21.7	19.1	11
12	21.3	23.6	25.7	28.7	29.5	29.4	27.2	25.2	23.5	20.7	20.9	20.5	12
13	22.2	23.9	25.9	28.7	29.8	29.7	27.2	25.2	23.7	20.1	19.5	20.9	13
14	22.3	23.0	25.9	28.7	29.7	29.7	26.9	24.7	23.7	20.8	20.7	21.5	14
15	22.1	24.0	25.9	28.8	29.8	29.9	26.7	24.5	23.7	20.8	20.8	21.5	15
16	22.5	24.1	26.1	28.9	29.7	29.7	26.9	24.6	22.7	20.9	20.7	21.2	16
17	22.4	24.0	25.9	29.0	30.2	28.9	27.0	24.6	21.9	21.0	20.1	20.9	17
18	22.1	25.0	26.0	29.2	29.9	28.7	26.7	23.0	21.9	20.9	19.2	21.5	18
19	22.3	24.6	26.3	29.5	29.7	28.7	26.7	24.2	21.2	21.1	19.2	21.6	19
20	22.5	24.7	26.4	29.5	29.4	28.7	26.6	24.6	22.2	21.1	19.8	22.2	20
旬平均	22.2	24.0	26.0	29.0	29.7	29.3	26.9	24.6	22.8	20.9	20.3	21.1	旬平均
21	22.5	25.0	26.7	29.5	29.1	28.7	25.8	24.0	21.6	21.3	20.4	21.7	21
22	23.0	25.4	27.5	29.4	28.9	28.5	25.9	24.2	22.9	21.1	20.7	22.1	22
23	22.5	24.9	27.8	29.2	29.0	28.7	26.5	24.7	22.3	19.8	20.7	22.5	23
24	22.5	25.2	27.9	29.5	28.8	28.7	26.2	24.6	22.4	19.8	20.8	22.7	24
25	22.9	24.2	27.8	29.6	28.7	28.3	25.7	24.7	22.7	20.7	21.8	22.7	25
26	22.7	23.8	27.6	29.6	28.8	28.6	25.1	24.4	22.5	19.4	21.3	21.2	26
27	20.7	23.6	27.2	29.2	28.4	28.7	25.5	24.6	22.0	20.4	21.8	21.2	27
28	21.2	23.5	27.5	29.1	28.5	28.6	26.6	24.3	20.7	20.9	21.8	21.7	28
29	21.9	23.1	27.5	29.7	28.6	28.7	25.7	23.7	21.7	20.9	21.2	21.2	29
30	22.2	23.2	27.7	30.2	29.0	28.6	25.5	23.7	21.9	20.9	21.6	21.6	30
31		23.5	30.0	29.3			25.6		20.7	21.2		21.7	31
旬平均	22.2	24.1	27.5	29.5	28.8	28.6	25.8	24.3	21.9	20.6	21.2	21.8	旬平均
月最高	23.0	25.4	27.9	30.2	30.2	29.9	28.7	25.8	23.8	21.7	21.8	22.7	月最高
月最低	20.7	22.2	23.7	28.4	27.7	28.3	25.1	23.0	20.7	19.4	19.0	19.1	月最低
月平均	21.9	23.7	26.0	29.1	29.2	28.9	26.8	24.7	22.6	20.8	20.6	21.6	月平均



資料6 取水井戸及び海面生簀の月平均水温の推移



資料7 取水井戸及び海面生簀の日水温の推移