

(1) 取水井戸及び親魚水槽水温

表-1 平成3年取水井戸(地先)水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	—	20.7	20.6	20.7	23.4	26.5	28.4	27.8	—	26.5	23.5	—
2	—	20.3	—	20.4	23.0	26.7	28.5	27.9	28.0	26.7	—	22.6
3	—	—	20.8	20.3	22.5	27.0	28.4	—	28.1	26.8	—	22.7
4	21.5	20.5	21.2	20.6	22.0	27.2	28.5	—	28.4	26.5	—	22.7
5	21.5	—	20.8	20.8	22.5	27.0	28.5	27.9	28.4	26.7	23.4	22.6
6	—	20.4	21.0	21.1	22.2	27.1	28.7	28.1	—	—	23.6	22.9
7	21.0	20.3	21.3	21.4	22.8	27.3	—	28.3	28.8	25.5	23.7	22.9
8	20.8	20.6	21.7	21.5	22.9	27.5	—	28.5	—	25.5	24.0	—
9	20.6	20.5	22.0	21.6	23.3	27.0	—	28.6	28.9	25.4	—	22.0
10	21.2	20.9	—	21.8	23.1	27.5	—	28.7	28.7	—	—	22.3
旬平均	21.1	20.5	21.2	21.0	22.8	27.1	28.5	28.2	28.5	26.2	23.6	22.6
11	21.3	—	22.0	22.0	23.0	27.9	—	—	28.9	24.9	23.1	22.3
12	20.5	20.8	22.0	22.3	23.1	27.7	—	28.5	28.5	—	22.7	22.1
13	—	20.6	21.8	22.5	23.7	27.5	—	28.8	28.0	—	—	22.1
14	20.7	21.0	21.7	22.5	23.5	27.7	—	28.7	27.4	25.0	22.7	—
15	—	21.3	21.2	22.4	23.8	27.5	28.7	28.5	—	24.9	22.5	—
16	21.0	20.5	—	22.5	24.0	27.7	28.7	28.5	—	24.7	22.4	22.2
17	20.7	—	—	22.9	23.5	28.0	29.0	28.3	27.3	25.1	—	22.5
18	20.5	20.3	—	23.0	23.5	27.8	—	—	27.3	24.9	22.5	22.3
19	—	20.2	21.2	23.4	23.9	27.9	28.6	—	27.1	25.0	22.6	21.8
20	—	19.7	21.2	23.0	24.2	28.0	28.8	28.4	27.0	—	22.9	21.5
旬平均	20.8	20.6	21.6	22.7	23.6	27.8	28.8	28.5	27.7	24.9	22.7	22.1
21	21.0	19.3	—	22.5	24.5	28.1	—	28.1	26.7	24.3	22.8	22.1
22	21.2	19.5	—	22.4	24.8	28.2	29.0	27.8	—	24.5	23.0	—
23	20.7	—	22.0	22.3	25.3	28.1	29.3	27.9	—	24.5	—	—
24	20.7	—	—	22.5	25.3	27.7	29.4	—	28.0	24.6	—	22.3
25	21.0	19.5	21.7	22.6	25.5	27.7	—	—	27.0	24.7	22.7	22.5
26	20.7	19.7	21.8	22.7	25.9	27.8	29.7	28.0	26.6	24.6	22.9	22.3
27	20.5	20.3	22.1	23.1	26.1	28.0	—	—	26.0	—	23.0	22.0
28	20.6	20.3	21.7	23.3	26.3	28.0	—	28.0	26.5	24.3	23.1	—
29	20.8	/	21.7	24.5	26.0	28.4	28.0	28.0	—	24.0	23.1	—
30	20.8	/	21.7	23.5	25.8	—	27.9	28.0	26.5	24.3	23.0	21.1
31	20.9	/	—	/	26.1	/	27.8	27.9	/	24.1	/	21.4
旬平均	20.8	19.8	21.8	22.9	25.6	28.0	28.7	28.0	26.8	24.4	23.0	22.0
月平均	20.9	20.3	21.5	22.2	24.0	27.6	28.7	28.2	27.6	25.2	23.1	22.2
年平均	24.3											

表-2 平成3年親魚水槽水温

(月) (日)	1	2	3	4	5	6	7	8	9	10	11	12
1	—	20.1	20.5	20.2	23.2	26.8	28.6	28.0	—	26.7	23.5	—
2	—	19.7	—	20.0	22.9	27.0	28.5	28.2	28.0	27.2	—	22.5
3	—	—	20.8	20.1	22.3	27.3	28.6	—	28.2	27.0	—	22.4
4	20.7	20.9	20.9	20.5	21.9	27.2	28.6	—	28.5	26.7	—	22.6
5	20.5	—	20.8	20.7	22.5	27.1	28.7	28.2	28.7	27.0	23.7	22.4
6	—	19.9	21.1	21.2	22.6	27.4	28.8	28.4	—	—	23.5	22.8
7	20.2	20.6	20.8	21.3	22.8	27.6	—	28.6	28.9	26.3	23.6	22.8
8	20.4	20.4	21.8	21.3	23.1	27.9	—	28.7	—	26.6	23.9	—
9	18.9	20.3	22.0	21.6	23.3	27.1	—	28.5	28.9	25.5	—	21.1
10	19.6	20.9	—	21.4	23.1	27.9	—	28.9	28.9	—	—	22.0
旬平均	20.1	20.4	21.1	20.8	22.8	27.3	28.6	28.4	28.5	26.6	23.6	22.3
11	20.2	—	21.9	22.3	23.1	28.0	—	—	28.9	24.8	22.9	22.2
12	19.5	20.7	22.1	22.3	23.3	27.9	—	28.8	28.7	—	22.4	21.9
13	—	20.6	21.8	22.6	23.6	27.6	—	28.9	28.3	—	—	21.8
14	19.3	20.8	21.7	22.4	23.6	27.8	—	28.8	27.6	25.0	22.2	—
15	—	20.9	21.0	22.3	24.1	27.7	28.9	28.7	—	24.9	22.3	—
16	19.3	20.0	—	22.7	24.3	27.8	28.9	28.6	—	24.6	22.3	22.1
17	19.9	—	—	23.0	23.3	28.0	29.2	28.4	27.4	24.9	—	22.3
18	19.6	20.0	—	23.1	23.5	28.0	—	—	27.4	24.9	22.3	22.3
19	—	19.5	20.8	23.3	23.9	28.0	28.9	—	27.2	24.9	22.4	21.8
20	—	19.3	21.2	22.5	24.3	28.2	29.0	28.4	26.9	—	22.7	21.3
旬平均	19.6	20.2	21.5	22.7	23.7	27.9	29.0	28.7	27.8	24.9	22.4	22.0
21	20.8	18.8	—	22.3	24.8	28.4	—	28.3	26.7	24.3	22.7	21.9
22	20.5	19.1	—	22.3	25.1	28.3	29.4	27.9	—	24.4	22.8	—
23	20.0	—	21.5	22.3	25.4	28.2	29.4	28.2	—	24.4	—	—
24	20.2	—	—	22.6	25.4	27.9	29.7	—	27.3	24.6	—	22.3
25	20.5	19.0	21.5	22.8	26.0	27.9	—	—	26.9	24.7	22.5	22.3
26	20.2	19.2	21.9	22.8	26.1	27.9	29.8	28.2	26.5	24.8	22.9	22.3
27	19.5	19.8	22.1	23.1	26.4	28.4	—	—	26.0	—	23.2	22.0
28	19.5	20.1	21.8	23.3	26.3	28.3	—	28.2	26.3	24.1	23.2	—
29	20.0	/	21.7	23.4	26.2	28.5	27.9	28.0	—	24.1	23.0	—
30	20.0	/	21.6	23.2	26.0	—	27.9	27.9	26.5	24.5	22.9	20.8
31	20.6	/	—	/	26.4	/	27.9	28.0	/	24.0	/	20.9
旬平均	20.2	19.3	21.7	22.8	25.8	28.2	28.9	28.1	26.6	24.4	22.9	21.8
月平均	19.9	20.0	21.4	22.1	24.1	27.8	28.8	28.4	27.6	25.3	23.0	22.0
年平均	24.2											